



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010036197

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

**Thermal insulation products for buildings -
Factory made mineral wool (MW) products**

Type / variation: listed in Annex No. 1

placed on the market under the name or trade mark of

ODE YALITIM SANAYİ VE TİCARET A.Ş.

Piyale Paşa Bulvarı Ortadoğu Plaza K-12 34384 OkmeydanıŞişli / ISTANBUL/ TURKEY

and produced in the manufacturing plant(s):

**Velimeşe Organize Sanayi Bölgesi, Hacı Şeremet 4. Cad. No:6-8-
10-14/A Ergene / Tekirdağ/ Turkey**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the


constancy of performance of the construction product.

This certificate was first issued on 19 February 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague, 6 December, 2018




Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p. Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Annex No. 1
Certificate No. 1020-CPR-010036197
SLABS

EN 13162 GLASS WOOL (1020-CPR-010036197)		Thickness (mm)	Reaction to fire (Class)
031	NON COATED	15-100	A1
	GLASS TISSUE FACED	15-100	A1
	WOVEN GLASS FIBER FABRIC FACED	15-100	A1
	ALU FOIL	15-100	C-S ₁ ,d0
	AFH FACED	15-100	A1
	NON COATED	15-160	A1
	GLASS TISSUE FACED	15-160	A1
	WOVEN GLASS FIBER FABRIC FACED	15-160	A1
	ALU FOIL	15-160	C-S ₁ ,d0
	AFH FACED	15-160	A1
032	NON COATED	20-180	A1
	GLASS TISSUE FACED	20-180	A1
	WOVEN GLASS FIBER FABRIC FACED	20-180	A1
	ALU FOIL	20-180	C-S ₁ ,d0
	AFH FACED	20-180	A1
	NON COATED	20-180	A1
	GLASS TISSUE FACED	20-180	A1
	WOVEN GLASS FIBER FABRIC FACED	20-180	A1
	ALU FOIL	20-180	C-S ₁ ,d0
	AFH FACED	20-180	A1
033	NON COATED	30-75	A1
	GLASS TISSUE FACED	30-75	A1
	WOVEN GLASS FIBER FABRIC FACED	30-75	A1
	ALU FOIL	30-75	C-S ₁ ,d0
	AFH FACED	30-75	A1
	NON COATED	25-160	A1
	GLASS TISSUE FACED	25-160	A1
	WOVEN GLASS FIBER FABRIC FACED	25-160	A1
	ALU FOIL	25-160	C-S ₁ ,d0
	AFH FACED	25-160	A1



The stamp of the Notified Body 1020
Prague, 6 December, 2018

Iveta Jiroutová
Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p. Technical and Test Institute for Construction Prague, SOE

Akreditovaná zkušební laboratoř, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgán, Inspekční orgán • Accredited Testing Laboratory, Authorized Body, Notified Body, Technical Assessment Body, Certification Body, Inspection Body • Prosecká 811/76a, 190 00 Praha 9 - Prosek, Czech Republic

Annex No. 1 Certificate No. 1020-CPR-010036197 BLANKETS

032	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	15-100	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	15-100	A1
035	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	15-100	A1
	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	15-100	C-S ₁ ,d0
	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	15-100	A1
	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	25-150	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	25-150	A1
	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	25-150	A1
037	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	25-150	C-S ₁ ,d0
	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	25-150	A1
	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	25-180	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	25-180	A1
	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	25-180	A1
	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	25-180	C-S ₁ ,d0
040	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	25-160	A1
	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	25-160	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	25-160	A1
	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	25-160	A1
	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	25-160	C-S ₁ ,d0
	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	25-160	A1
042	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	40-100	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	40-100	A1
	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	40-100	A1
	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	40-100	C-S ₁ ,d0
	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	40-100	A1
	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	100	A1
044	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	100	A1
	WOVEN GLASS FIBER FABRIC FACED	ODE STARFLEX CAM TULÜ KAPLI	ODE LUNAFLEX CAM TULÜ KAPLI	100	A1
	ALU FOIL	ODE STARFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX KRAFT+ALÜMİNYUM FOLYO KAPLI	100	C-S ₁ ,d0
	AFH FACED	ODE STARFLEX ALÜMİNYUM FOLYO KAPLI	ODE LUNAFLEX ALÜMİNYUM FOLYO KAPLI	100	A1
	NON COATED	ODE STARFLEX CAM YÜNÜ KAPLAMASIZ	ODE LUNAFLEX CAM YÜNÜ KAPLAMASIZ	100	A1
	GLASS TISSUE FACED	ODE STARFLEX CAM DOKUMA KAPLI	ODE LUNAFLEX CAM DOKUMA KAPLI	100	A1



Ing. Iveta Jiroutová
Deputy manager of the Notified Body

The stamp of the Notified Body 1020
Prague, 6 December, 2018