

MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	96000014834	Date of first issue: 16.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	MasterBrace ADH 1206 Part A
	Product code	:	0000000058412402
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Product for construction chemicals
	Recommended restrictions on use	:	Reserved for industrial and professional use.
1.3	Details of the supplier of the	saf	-
	Company	:	Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Sti., Ataşehir Kuzey, C Kapısı 3E/ 5-12 34746 İstanbul, Turkey
	Telephone	:	+902162178800
	Telefax	:	+902162178800
	E-mail address of person responsible for the SDS	:	product-safety@mbcc-group.com
1.4	Emergency telephone ChemTel: +1-813-248-0585		

National Emergency Tele-	:	Acil İlkyardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114
phone Number		İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments						
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.					

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	960000014834	Date of first issue: 16.09.2022

2.2 Label elements

Labeling T.R. SEA No 28848 and subsequent amendments					
Hazard pictograms :					
Signal Word :	Warning				
Hazard Statements :	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. 				
Precautionary Statements :	Prevention:				
	 P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. 				
	Response:				
	 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. 				

Hazardous ingredients which must be listed on the label:

bisphenol A diglycidylether

Alkyl (C12-C14) glycidyl ether

Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Preparation based on:
		epoxy resin

Components

Chemical name	CAS-No.	SEA Classification	Concentration
	EC-No.		(% w/w)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version	Revis
1.0	16.09

sion Date: 9.2022 SDS Number: [960000014834 [

Date of last issue: -Date of first issue: 16.09.2022

	Index-No. KKDIK Registra- tion No.		
bisphenol A diglycidylether	1675-54-3 216-823-5 603-073-00-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 20 - < 25
		specific concentra- tion limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	
Alkyl (C12-C14) glycidyl ether	68609-97-2 271-846-8 603-103-00-4	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 1 - < 10
Formaldehyde, polymer with 2- (chloromethyl)oxirane and phenol	9003-36-5	Eye Dam. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 1 - < 2,5
Substances with a workplace exposure li	mit :	· · · · · · · · · · · · · · · · · · ·	
Limestone	1317-65-3 215-279-6		>= 30 - < 50
crystalline silica	14808-60-7 238-878-4		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	First aid personnel should pay attention to their own Immediately remove contaminated clothing.	safety.
If inhaled	If difficulties occur after vapour/aerosol has been inl remove to fresh air and seek medical attention.	naled,
In case of skin contact	After contact with skin, wash immediately with plent and soap. Under no circumstances should organic solvent be If irritation develops, seek medical attention.	•
In case of eye contact	Wash affected eyes for at least 15 minutes under ruw water with eyelids held open, consult an eye specia	•
If swallowed	Immediately rinse mouth and then drink 200-300 ml	of water,

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version 1.0	Revision Date: 16.09.2022		DS Number: 60000014834	Date of last issue: - Date of first issue: 16.09.2022	
			seek medical atte Do NOT induce v		
4.2 Most i	mportant symptoms a	and	effects, both acut	e and delayed	
Symptoms		:	Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.		
Risks		: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.		ergic skin reaction.	
4.3 Indica	tion of any immediate	me	dical attention and	d special treatment needed	
Treatment :		:	Treat symptomatically.		
SECTION 5: Firefighting measures 5.1 Extinguishing media					
-	-		Foam		
Suitable extinguishing media :		Foam Water spray Dry powder Carbon dioxide (CO2)			

Unsuitable extinguishing : water jet media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.



MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	96000014834	Date of first issue: 16.09.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

D	
Personal precautions	: Do not breathe vapour/aerosol/spray mists.
	Wear eye/face protection.
	If exposed to high vapour concentration, leave area immedi-
	ately.
	Use personal protective clothing.
	Handle in accordance with good building materials hygiene and safety practice.

6.2 Environmental precautions

Environmental precautions	:	Contain contaminated water/firefighting water.	
		Do not discharge into drains/surface waters/groundwater.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Large spills should be collected mechanically (remove by pumping) for disposal. Pick up with inert absorbent material (e.g. sand, earth etc.).
		Correctly dispose of recovered product immediately.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

7.2 Conditions for safe storage, including any incompatibilities

Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Recommended storage tem- perature	:	5 - 40 °C

7.3 Specific end use(s)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version	Revision Date: 16.09.2022	SDS Number:	Date of last issue: -	
1.0		960000014834	Date of first issue: 16.09.2022	
Speci	fic use(s)		t identified use(s) listed in Section 1 the advice is section 7 is to be observed.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis		
		of exposure)	·			
Limestone	1317-65-3	ZOAD/TWA (To-	15 mg/m3	TR OEL DU		
Limestone	1317-00-3	•	15 mg/ms	TR OEL DU		
		tal dust)				
	Further inform	nation: Allowable occ	supational exposure limit valu	les of chemicals		
	in dust form					
				TR OEL DU		
		ZOAD/TWA	5 mg/m3	TR OEL DU		
		(Respirable dust)				
	Further information: Allowable occupational exposure limit values of chemicals					
	in dust form					
crystalline silica	14808-60-7 ZOAD/TWA (T		30 mg/m3 / %SiO2+2	TR OEL DU		
		tal)	5			
	Further information: Allowable occupational exposure limit values of mineral					
	dusts					
	ZOAD/TWA 10 mg/m3 / %SiO2+2 TR OEL I					
	(Respirable)					
	Further information: Allowable occupational exposure limit values of mineral					
	dusts					
		TWA (Respirable 0,1 mg/m3 2004/3				
		dust)	o,	200		
	Further information: Carcinogens or mutagens					

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Hand protection

Remarks

Chemical resistant protective gloves (EN 374) Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
 Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): butyl rubber (butyl)

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version 1.0	Revision Date: 16.09.2022	SDS Number: 960000014834	Date of last issue: - Date of first issue: 16.09.2022			
		coating thickn Suitable mate least protectiv meation time a 0.7 mm coatin	 - 0.7 mm coating thickness fluoroelastomer (FKM) - 0.7 mm coating thickness Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374) polyvinylchloride (PVC) - 0.7 mm coating thickness chloroprene rubber (CR) - 0.5 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness 			
Skin and body protection Respiratory protection Protective measures		: Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).				
		: Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorgani acid inorganic and alkaline compounds (e.g. EN 14387 ABEK).				
		Avoid contact Avoid exposur Handle in acc and safety pra	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	viscous
Color	:	white
Odor	:	resinous
Odor Threshold	:	not determined
рН	:	10,57 (23 °C)
Melting point/range	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	not flammable
Vapor pressure	:	not determined
Density	:	1,73 g/cm3 (20 °C)
Solubility(ies) Solubility in other solvents	:	insoluble

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Versio 1.0	on	Revision Date: 16.09.2022		S Number: 0000014834	Date of last issue: - Date of first issue: 16.09.2022
Partition coefficient: n- octanol/water		:	not applicable fo	r mixtures	
D	Decomposition temperature		:	No decomposition if stored and handled as pre- scribed/indicated.	
Viscosity Viscosity, dynamic		:	> 30.000 mPa.s (23 °C)		
	Viscosity, kinematic		:	No data available	
E	Explosive properties		:	Not explosive	
С	Oxidizing properties		:	The substance or mixture is not classified as oxidizing.	
9.2 Other information		formation			
F	Flammability (liquids)		:	not flammable	
N	Metal corrosion rate		:	Not corrosive to	metals.
Self-ignition		:	not self-igniting		

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	The product is stable if stored and handled as pre- scribed/indicated.
10.4 Conditions to avoid		
Conditions to avoid	:	See SDS section 7 - Handling and storage.
10.5 Incompatible materials		
Materials to avoid	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	960000014834	Date of first issue: 16.09.2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

VersionRevision Date:SDS Number1.016.09.2022960000014	
---	--

SECTION 12: Ecological information

12.1 Toxicity

12.1 Toxicity		
Product:		
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
12.2 Persistence and degradabili	ity	
Product:		
Biodegradability	:	Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-gradable according to OECD classification.
Stability in water	:	Remarks: The product is slightly soluble in water. It can be eliminated from water by abiotic processes.
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	:	Remarks: Because of the product's consistency and low water solubility, bioavailability is improbable.
12.4 Mobility in soil		
Product:		
Distribution among environ- mental compartments	:	Remarks: The substance will not evaporate into the atmos- phere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not ex- pected.
12.5 Results of PBT and vPvB as	se	ssment
Product:		
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects		
Product:		
Additional ecological infor- mation	:	Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual

components.

cology have been derived from the properties of the individual

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	96000014834	Date of first issue: 16.09.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	: Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	: Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned.

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
445 Environmental haranda		

14.5 Environmental hazards

Not regulated as a dangerous good



MasterBrace ADH 1206 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.09.2022	96000014834	Date of first issue: 16.09.2022

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published)	: Not applicable
Regulation on prevention of major industrial accidents. Reg number 30702	Not applicable

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published. Regulation on Dust Control (No: 28812, 2013). Occupational Dust Exposure Limit Values (Annex 1)

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of H-Statements

Eye Irrit.

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Aquatic Chronic	:	Hazardous to the aquatic environment - chronic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part A

Versi 1.0	ion	Revision Date: 16.09.2022		DS Number: 60000014834	Date of last issue: - Date of first issue: 16.09.2022		
Skin Irrit. Skin Sens. 2004/37/EC		:	Skin irritation Skin sensitization Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens				
TR OEL DU		:	at work	on on Dust Control. Occupational Dust Expo-			
2004/37/EC / TWA TR OEL DU / ZOAD/TWA			:	Long term expos	ure limit		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

SDS Author

Name: Nazlı ÖZER Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -Istanbul, Turkey Phone: +90 262 751-6845 Email: <u>nazli.ozer@mbcc-group.com</u> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020



MasterBrace ADH 1206 Part A

Version 1.0	Revision Date: 16.09.2022	SDS Number: 960000014834	Date of last issue: - Date of first issue: 16.09.2022
Certificate Expiry Date: 29.07.2025 Classification of the mixture:			Classification procedure:
Skin Irrit. 2		H315	Calculation method
Eye Irrit. 2		H319	Calculation method
Skin Sens. 1		H317	Calculation method
Aquatic Chronic 3		H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN