

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MasterBrace ADH 1206 Part B
Product code : 00000000058412399

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Product for construction chemicals

1.3 Details of the supplier of the safety data sheet

Company : Master Builders Solutions
Yapı Kimyasalları Sanayi ve Ticaret Ltd.
Sti.,
Ataşehir Kuzey, C Kapısı 3E/ 5-12
34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person responsible for the SDS : product-safety@mbcc-group.com

1.4 Emergency telephone

ChemTel: +1-813-248-0585

National Emergency Telephone Number : Acil İlkyardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114
İtfaiye: 110

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848 and subsequent amendments

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labeling T.R. SEA No 28848 and subsequent amendments

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version 1.0 Revision Date: 06.09.2022 SDS Number: 960000014895 Date of last issue: -
Date of first issue: 06.09.2022

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous ingredients which must be listed on the label:

Diaminopolypropylene glycol

Benzyl alcohol

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

bisphenol A

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : amine

Components

Chemical name	CAS-No. EC-No. Index-No. KKDIK Registra-	SEA Classification	Concentration (% w/w)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version 1.0 Revision Date: 06.09.2022 SDS Number: 960000014895 Date of last issue: -
Date of first issue: 06.09.2022

	tion No.		
Diaminopolypropylene glycol	9046-10-0	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 20 - < 25
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 10 - < 20
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6 500-033-5 603-074-00-8	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Acute Tox. 4; H332 Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Sens. 1; H317 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 10 - < 20
bisphenol A	80-05-7 201-245-8 604-030-00-0	Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 1 - < 10
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
Substances with a workplace exposure limit :			
Limestone	1317-65-3 215-279-6		>= 30 - < 50
crystalline silica	14808-60-7 238-878-4		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : First aid personnel should pay attention to their own safety.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

- Immediately remove contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air.
If symptoms persist, seek medical advice.
- In case of skin contact : After contact with skin, wash immediately with plenty of water and soap.
Under no circumstances should organic solvent be used.
If irritation develops, seek medical attention.
- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.
Do not induce vomiting unless told to by a poison control center or doctor.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
- Risks : Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Foam
Water spray
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : water jet

5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : fumes/smoke
harmful vapours
Carbon oxides
nitrogen oxides
carbon black

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

5.3 Advice for firefighters

- Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.
- Further information : The degree of risk is governed by the burning substance and the fire conditions.
If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Wear eye/face protection.
Use personal protective clothing.
Handle in accordance with good building materials hygiene and safety practice.

6.2 Environmental precautions

- Environmental precautions : Contain contaminated water/firefighting water.
Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Pick up with suitable appliance and dispose of.
Dispose of absorbed material in accordance with regulations.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid inhalation of dusts/mists/vapours.
Avoid skin contact.
Ensure adequate ventilation.
No special measures necessary provided product is used correctly.
- Advice on protection against fire and explosion : The product is neither self-ignitable, nor an explosion hazard, nor does it promote fires.
- Hygiene measures : When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version 1.0 Revision Date: 06.09.2022 SDS Number: 960000014895 Date of last issue: -
Date of first issue: 06.09.2022

agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

Recommended storage temperature : 5 - 40 °C

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Limestone	1317-65-3	ZOAD/TWA (Total dust)	15 mg/m ³	TR OEL DU
	Further information: Allowable occupational exposure limit values of chemicals in dust form			
		ZOAD/TWA (Respirable dust)	5 mg/m ³	TR OEL DU
	Further information: Allowable occupational exposure limit values of chemicals in dust form			
crystalline silica	14808-60-7	ZOAD/TWA (Total)	30 mg/m ³ / %SiO ₂ +2	TR OEL DU
	Further information: Allowable occupational exposure limit values of mineral dusts			
		ZOAD/TWA (Respirable)	10 mg/m ³ / %SiO ₂ +2	TR OEL DU
	Further information: Allowable occupational exposure limit values of mineral dusts			
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
	Further information: Carcinogens or mutagens			
bisphenol A	80-05-7	TWA (8 Hour) (inhalable dust)	10 mg/m ³	TR OEL
		TWA (Inhalable fraction)	2 mg/m ³	2017/164/EU
	Further information: Indicative			

Derived No Effect Level (DNEL) :

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version 1.0 Revision Date: 06.09.2022 SDS Number: 960000014895 Date of last issue: -
Date of first issue: 06.09.2022

Substance name	End Use	Routes of exposure	Potential health effects	Value
Benzyl alcohol	Worker	Inhalation	Long-term exposure-systemic effects	22 mg/m3
	Worker	Inhalation	Short-term exposure - systemic effects	110 mg/m3
	Worker	Dermal	Long-term exposure-systemic effects	8 mg/kg
	Worker	Dermal	Short-term exposure - systemic effects	40 mg/kg
	Consumer	Inhalation	Long-term exposure-systemic effects	5,4 mg/m3
	Consumer	Inhalation	Short-term exposure - systemic effects	27 mg/m3
	Consumer	Dermal	Long-term exposure-systemic effects	4 mg/kg
	Consumer	Dermal	Short-term exposure - systemic effects	20 mg/kg
	Consumer	Oral	Long-term exposure-systemic effects	4 mg/kg
	Consumer	Oral	Short-term exposure - systemic effects	20 mg/kg

Predicted No Effect Concentration (PNEC) :

Substance name	Environmental Compartment	Value
Benzyl alcohol	freshwater	1 mg/l
	intermittent release	2,3 mg/l
	Sea water	0,1 mg/l
	STP	39 mg/l
	sediment (freshwater)	5,27 mg/kg
	sediment (marine water)	0,527 mg/kg
	soil	0,456 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Hand protection

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.

Skin and body protection : Body protection must be chosen based on level of activity and exposure.

Respiratory protection : Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Protective measures : Do not inhale dust/fumes/aerosols.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

Avoid contact with the skin, eyes and clothing.
Avoid exposure - obtain special instructions before use.
Handle in accordance with good building materials hygiene and safety practice.
Wearing of closed work clothing is recommended.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	viscous
Color	:	black
Odor	:	amine-like
Odor Threshold	:	not determined
pH	:	substance/mixture is non-soluble (in water)
	:	not determined
	:	not determined
Flash point	:	does not flash
Vapor pressure	:	not determined
Density	:	1,39 g/cm ³
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	insoluble
Partition coefficient: n-octanol/water	:	not applicable for mixtures
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	> 8.000 mPa.s (23 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Metal corrosion rate	:	Not corrosive to metals.
----------------------	---	--------------------------

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

Self-ignition : not self-igniting

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3 Possibility of hazardous reactions

Hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong bases
Strong oxidizing agents
Strong reducing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.
No data is available on the product itself.
Information given is based on data on the ingredients and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available.
Discharge into the environment must be avoided.

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17) : Conditions of restriction for the following entries should be considered:
Number on list 3

bisphenol A (Number on list 66)

Regulation on Persistent Organic Pollutants (Number 30595 and subsequent amendments published) : Not applicable

Regulation on prevention of major industrial accidents. Reg number 30702 : Not applicable

Other regulations:

T.R. Regulation on Classification, Labeling and Packaging of Substances and Mixtures, dated December 11, 2013 and numbered 28848 from the Ministry of Environment and Urbanization and the subsequent amendments published.

Regulation on health and safety measures regarding working with chemicals (Number: 28733, 2013). Occupational Exposure Limit Values (Annex 1)

Regulation on Dust Control (No: 28812, 2013). Occupational Dust Exposure Limit Values (An-

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

next 1)

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
TR OEL	: Turkey. Chemical Agents at Work - Annex I: Indicative occupational exposure limit values
TR OEL DU	: Turkey. Regulation on Dust Control. Occupational Dust Exposure Limit Values (Annex 1)
2004/37/EC / TWA	: Long term exposure limit
2017/164/EU / TWA	: Limit Value - eight hours
TR OEL / TWA (8 Hour)	: Measured or calculated in relation to a reference period of eight-hour time-weighted average
TR OEL DU / ZOAD/TWA	: Time Weighted Average Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022

rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

SDS Author

Name: Nazlı ÖZER

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir - İstanbul, Turkey

Phone: +90 262 751-6845

Email: nazli.ozer@mbcc-group.com

Certificate no: KDU-A-0-0077

Certification Date: 29.07.2020

Certificate Expiry Date: 29.07.2025

Classification of the mixture:

Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN

SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105



MasterBrace ADH 1206 Part B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	960000014895	Date of first issue: 06.09.2022
