According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterFlow 9400

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000873436	Date of first issue: 31.12.2020

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier		
Trade name	:	MasterFlow 9400
Product code	:	00000000050545360
1.2 Relevant identified uses of the	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Product for construction chemicals
Recommended restrictions on use	:	Industrial use, Professional use, Consumer use
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Sti., Ataşehir Kuzey, C Kapısı 3E/ 5-12 34746 İstanbul, Turkey
Telephone	:	+902162178800
Telefax	:	+902162178800
E-mail address of person	:	mabas-eb@mbcc-group.com

#### 1.4 Emergency telephone

responsible for the SDS

Acil İlk Yardım Merkezi: 112 Ulusal Zehir Danışma Merkezi: 114 İtfaiye: 110

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification T.R. SEA No 28848

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Specific target organ toxicity - single ex-

posure, Category 3, respiratory tract irritation H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

#### 2.2 Label elements

Labeling T.R. SEA No 28848

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Version 1.0	Revision Date: 31.12.2020	SDS NI 000000		ssue: - ssue: 31.12.2020
Hazard pictograms		:		
Signa	ll Word	: Dang	r	
Haza	rd Statements	: H318 H315 H335	Causes serious eye dam Causes skin irritation. May cause respiratory irr	5
Preca	autionary Statements	: P102	Keep out of reach of child	dren.
		P280 tion/ P261 P264	ce protection. Avoid breathing dust.	protective clothing/ eye protec-
		P305 ter fo easy P315 P304 keep P302 wate P332 atten P362	several minutes. Remove o do. Continue rinsing. Get immediate medical a - P340 IF INHALED: Re omfortable for breathing. - P352 IF ON SKIN: Wa - P313 If skin irritation of on.	ES: Rinse cautiously with wa- contact lenses, if present and dvice/ attention. move person to fresh air and sh with plenty of soap and ccurs: Get medical advice/ nated clothing and wash it
		<b>Disp</b> P501 ous v		ainer to appropriate hazard-

Hazardous ingredients which must be listed on the label: Cement, portland, chemicals

### 2.3 Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(78 ₩/₩)

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Version	
1.0	

Revision Date: 31.12.2020

SDS Number: 000000873436

Date of last issue: -Date of first issue: 31.12.2020

	Registration num- ber		
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	>= 25 - < 50

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice :	First aid personnel should pay attention to their own safety. Remove contaminated clothing.
If inhaled :	After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Seek medical attention.
In case of skin contact :	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact :	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
If swallowed :	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Product itself is non-combustible. Only the packaging materi- als can catch fire. The extinguishing agents normally used are sufficient.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	Product is not combustible or explosive.
fighting		No particular hazards known.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Versio 1.0	on Revision Date: 31.12.2020		Number: 00873436	Date of last issue: - Date of first issue: 31.12.2020
5	<b>dvice for firefighters</b> Special protective equipn or fire-fighters	nent : V	Vear a self-co	ntained breathing apparatus.
F	Further information		urrounding ar he degree of he fire condition Dispose of fire	s non-combustible; fire extinguishing method of eas must be considered. risk is governed by the burning substance and ons. debris and contaminated extinguishing water in th official regulations.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
6.2 Environmental precautions	
Environmental precautions :	Do not discharge into drains/surface waters/groundwater.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up :	Sweep/shovel up. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid dust formation. Avoid inhalation of dusts. Avoid contact with skin and eyes. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irrita- tion of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are de- canted without local exhaust ventilation.
Advice on protection against fire and explosion	:	No special precautions necessary.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Version 1.0	Revision Date: 31.12.2020		Number: 00873436	Date of last issue: - Date of first issue: 31.12.2020	
Hygiene measures			: When using do not eat or drink. When using do not smo Wash hands before breaks and at the end of workday.		
7.2 Condi	itions for safe storage	, includ	ling any incor	npatibilities	
Further information on stor- age conditions		: C	Containers should be stored tightly sealed in a dry place.		
	Further information on stor- age stability		No decomposition if stored and applied as directed.		
7.3 Speci	fic end use(s)				
Specific use(s)				identified use(s) listed in Section 1 the advice section 7 is to be observed.	

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

<b>Personal protective equipm</b> Eye protection Hand protection		Tightly fitting safety goggles (splash goggles) (e.g. EN 166)
Remarks Skin and body protection	:	nitrile coated cotton gloves (e.g. EN 388, 374) Body protection must be chosen based on level of activity and exposure. light protective clothing
Respiratory protection Filter type	:	Breathing protection if dusts are formed. Particle filter with medium efficiency for solid and liquid parti- cles (e.g. EN 143 or 149, Type P2 or FFP2) (Particle filter EN 143 P2 or FFP2)
Protective measures	:	Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed work- ing clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance Color	: powder : beiae
Odor	: odorless
Odor Threshold	: Not determined due to potential health hazard by inhalation.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Vers 1.0	ion	Revision Date: 31.12.2020		S Number: 0000873436	Date of last issue: - Date of first issue: 31.12.2020
	Melting point		:	not determined	
	Boiling point		:	The product is a	non-volatile solid.
	Flash point		:	Not applicable	
	Evapor	ation rate	:	The product is a	non-volatile solid.
	Flamma	ability (solid, gas)	:	not flammable	
	Upper explosion limit / Upper flammability limit		:	knowledge of its	experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance luse.
		explosion limit / Lower bility limit	:	knowledge of its	experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance luse.
	Vapor p	pressure	:	negligible	
	Relative vapor density		:	The product is a	non-volatile solid.
	Density		:	Not applicable	
	Bulk de	nsity	:	approx. 1.500 kg	/m3 (approx. 20 °C)
	Partition octanol	er solubility n coefficient: n-	:	dispersible not applicable for not determined	r mixtures
			÷		n if starsd and bandlad as are
	Decom	position temperature	·	scribed/indicated	n if stored and handled as pre-
	Viscosi <sup>.</sup> Visc	ty osity, dynamic	:	Not applicable	
	Visc	osity, kinematic	: Not applicable		
	Explosive properties		:	Not explosive	
	Oxidizing properties		:	not fire-propagat	ing
		formation			
		orrosion rate	:		to metal are not anticipated.
	Self-ignition		:	not self-igniting	

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000873436	Date of first issue: 31.12.2020

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### **10.2 Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	The product is stable if stored and handled as pre- scribed/indicated.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	See SDS section 7 - Handling and storage.

#### 10.5 Incompatible materials

Materials to avoid	: Strong bases
	Strong acids

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products if stored and handled as prescribed/indicated.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

#### Germ cell mutagenicity

Not classified based on available information.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000873436	Date of first issue: 31.12.2020

#### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Further information

### Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Product:

<b>Ecotoxicology Assessment</b> Acute aquatic toxicity Chronic aquatic toxicity	:	This product has no known ecotoxicological effects. This product has no known ecotoxicological effects.
12.2 Persistence and degradabili	ity	
<u>Product:</u> Biodegradability	:	Remarks: Not applicable for inorganic substances.
12.3 Bioaccumulative potential		
Product: Bioaccumulation	:	Remarks: The product will not be readily bioavailable due to its consistency and insolubility in water.
12.4 Mobility in soil		
Product: Distribution among environ-	:	Remarks: Following exposure to soil, adsorption to solid soil

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## **MasterFlow 9400**

Versior 1.0	Revision Date: 31.12.2020		S Number: 000873436	Date of last issue: - Date of first issue: 31.12.2020
m	mental compartments		particles is probable, therefore contamination of groundw is not expected. The substance will not evaporate into the atmosphere fro the water surface.	
12.5 R	esults of PBT and vPvB	asses	sment	
	oduct: sessment			oduct does not fulfill the criteria for PBT (Per- ulative/toxic) and vPvB (very persistent/very
12.6 O	her adverse effects			
<u>Pr</u>	oduct:			
02	cone-Depletion Potential		: Remarks: The product does not contain substances listed in Regulation (EC) 1005/2009 on substances plete the ozone layer.	
	lditional ecological infor- ation		The product has	product into the environment without control. not been tested. The statements on ecotoxi- n derived from the properties of the individual

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Completely emptied packagings can be given for recycling.

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterFlow 9400

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	00000873436	Date of first issue: 31.12.2020

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.

#### Full text of other abbreviations

Eye Dam. :	Serious eye damage
Skin Irrit. :	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisa-

#### **SAFETY DATA SHEET** According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



## MasterFlow 9400

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.12.2020	000000873436	Date of first issue: 31.12.2020

tion for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

#### **SDS** Author

Name: Nazlı ÖZER Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -Istanbul, Turkey Phone: +90 262 751-6845 Email: <u>nazli.ozer@mbcc-group.com</u> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020 Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN