According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MasterSeal M 790 red PART A

Product code : 00000000050544526

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions : Industrial use, Professional use

on use

1.3 Details of the supplier of the safety data sheet

Company : Master Builders Solutions

Yapı Kimyasalları Sanayi ve Ticaret Ltd.

Sti.,

Ataşehir Kuzey, C Kapısı 3E/5-12

34746 İstanbul, Turkey

Telephone : +902162178800

Telefax : +902162178800

E-mail address of person responsible for the SDS

: mabas-eb@mbcc-group.com

# 1.4 Emergency telephone

ChemTel: +1-813-248-0585

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

Skin corrosion/irritation, Category 2 H315: Causes skin irritation.

Serious eye damage/eye irritation, Cate-

gory 1

H318: Causes serious eye damage.

Specific target organ toxicity - single ex-

posure, Category 3

H335: May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure, Category 2, Kidney

H373: May cause damage to organs through pro-

longed or repeated exposure.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

#### 2.2 Label elements

## Labeling T.R. SEA No 28848

Hazard pictograms







Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Kidney) through pro-

longed or repeated exposure.

Precautionary Statements : Prevention:

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust or mist.

P264 Wash face, hands and any exposed skin thoroughly

after handling.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of water. P362 + P364 Take off contaminated clothing and wash it

before reuse.

P310 Immediately call a POISON CENTER or doctor/ physi-

cian.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to appropriate hazard-

ous waste collection point.

2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

Chemical nature : Polymer

additives in water

#### Components

| Chemical name                        | CAS-No.           | Classification     | Concentration |
|--------------------------------------|-------------------|--------------------|---------------|
|                                      | EC-No.            |                    | (% w/w)       |
|                                      | Index-No.         |                    |               |
|                                      | Registration num- |                    |               |
|                                      | ber               |                    |               |
| Calcium dihydroxide                  | 1305-62-0         | Skin Irrit.2; H315 | >= 25 - < 50  |
|                                      | 215-137-3         | Eye Dam.1; H318    |               |
|                                      |                   | STOT SE3; H335     |               |
| ethylene glycol                      | 107-21-1          | Acute Tox.4; H302  | >= 15 - < 20  |
|                                      | 203-473-3         | STOT RE2; H373     |               |
|                                      | 603-027-00-1      |                    |               |
| Hydrocarbons, C10-C12, isoalkanes, < | 64741-65-7        | Asp. Tox.1; H304   | >= 1 - < 3    |
| 2% aromatics                         | 265-067-2         | Flam. Liq.3; H226  |               |
|                                      | 649-275-00-4      | Aquatic Chronic2;  |               |
|                                      |                   | H411               |               |

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

31.12.2020 000000624448 Date of first issue: 31.12.2020 1.0

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Immediately rinse mouth and then drink 200-300 ml of water,

seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Water spray

Dry powder Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

## 5.3 Advice for firefighters

for fire-fighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essarv.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety

standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight.

7.3 Specific end use(s)

Specific use(s) : For the relevant identified use(s) listed in Section 1 the advice

mentioned in this section 7 is to be observed.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational Exposure Limits**

| Components               | CAS-No.   | Value type (Form | Control parameters | Basis       |  |  |
|--------------------------|---|------------------|--------------------|-------------|--|--|
|                          |   | of exposure)     |                    |             |  |  |
| ethylene glycol          | 107-21-1  | TWA (8 Hour)     | 20 ppm             | TR OEL      |  |  |
|                          |   |                  | 52 mg/m3           |             |  |  |
|                          | Further information: A skin notation assigned to the OEL identifies the possi-    |                  |                    |             |  |  |
|                          | bility of significant uptake through the skin.                                    |                  |                    |             |  |  |
|                          |   | STEL 15 min      | 40 ppm             | TR OEL      |  |  |
|                          |   |                  | 104 mg/m3          |             |  |  |
|                          |   | STEL             | 40 ppm             | 2000/39/EC  |  |  |
|                          |   |                  | 104 mg/m3          |             |  |  |
|                          | Further information: Identifies the possibility of significant uptake through the |                  |                    |             |  |  |
|                          | skin, Indicative  |                  |                    |             |  |  |
|                          |   | TWA              | 20 ppm             | 2000/39/EC  |  |  |
|                          |   |                  | 52 mg/m3           |             |  |  |
|                          |   | TWA value        | 20 ppm             | OEL (TR)    |  |  |
|                          |   |                  | 52 mg/m3           |             |  |  |
|                          |   | STEL value       | 40 ppm             | OEL (TR)    |  |  |
|                          |   |                  | 104 mg/m3          |             |  |  |
| Calcium dihydrox-<br>ide | 1305-62-0   | TWA (8 Hour)     | 5 mg/m3            | TR OEL      |  |  |
|                          |   | TWA (Respirable  | 1 mg/m3            | 2017/164/EU |  |  |
|                          |   | fraction)        |                    |             |  |  |
|                          | Further information: Indicative   |                  |                    |             |  |  |
|                          |   | STEL (Respira-   | 4 mg/m3            | 2017/164/EU |  |  |
|                          |   | ble fraction)    |                    |             |  |  |
|                          |   | TWA value        | 5 mg/m3            | OEL (TR)    |  |  |
| talc                     | 14807-96-6  | TWA (Respirable  | 0,1 mg/m3          | 2004/37/EC  |  |  |
|                          |   | dust)            |                    |             |  |  |
|                          | Further information: Carcinogens or mutagens                                      |                  |                    |             |  |  |
|                          |   |                  | 2 mg/m3            | Recommen-   |  |  |
|                          |   |                  |                    | dation of   |  |  |
|                          |   |                  |                    | BASF        |  |  |
|                          | Further information: (suspended value of TRGS 900, dated 8/2005)                  |                  |                    |             |  |  |

# 8.2 Exposure controls

# Personal protective equipment

Eye protection : Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Hand protection

Remarks : impermeable gloves Synthetic rubber gloves Manufacturer's

directions for use should be observed because of great di-

versity of types.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : Wear respiratory protection if ventilation is inadequate.

Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type

ABEK).

Protective measures : Do not inhale dust/fumes/aerosols.

Avoid contact with the skin, eyes and clothing.

Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene

and safety practice.

Wearing of closed work clothing is recommended.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : red

Odor : characteristic

Odor Threshold : No data available

pH : approx. 11 - 12

Boiling point : not determined

Flash point : > 100 °C

Evaporation rate : not determined

Flammability (solid, gas) : not flammable

Vapor pressure : No data available

Relative vapor density : not determined

Density : approx. 1,27 g/cm3 (20 °C, 1.023 hPa)

Bulk density : Not applicable

Solubility(ies)

Water solubility : partly soluble

Partition coefficient: n-

octanol/water

No data available

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, kinematic : not determined

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

9.2 Other information

Metal corrosion rate : No corrosive effect on metal.

Self-ignition : not self-igniting

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : See SDS section 7 - Handling and storage.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong bases

Strong oxidizing agents Strong reducing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Not classified based on available information.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

#### Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

#### **Aspiration toxicity**

Not classified based on available information.

## **Further information**

#### **Product:**

Remarks : Health injuries are not known or expected under normal use.

The product has not been tested. The statements on toxicology have been derived from the properties of the individual

components.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Product:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Taking into consideration the properties of several

ingredients, the product is estimated not to be readily biode-

gradable according to OECD classification.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available.

Discharge into the environment must be avoided.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : Remarks: The product does not contain a substance fulfilling

the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB

(very persistent/very bioaccumulative) criteria.

12.6 Other adverse effects

**Product:** 

Ozone-Depletion Potential : Remarks: The product does not contain substances that are

listed in Regulation (EC) 1005/2009 on substances that de-

plete the ozone layer.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of in accordance with national, state and local regula-

tions.

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

**SECTION 14: Transport information** 

14.1 UN number

Not regulated as a dangerous good

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## Other regulations:

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H373 : May cause damage to organs (/\$/\*\_ORGAN\_REPEAT/\$/)

through prolonged or repeated exposure.

H411 : Toxic to aquatic life with long lasting effects.

# Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Hazardous to the aquatic environment - chronic hazard

Asp. Tox. : Aspiration hazard Eye Dam. : Serious eye damage Flam. Liq. : Flammable liquids Skin Irrit. : Skin irritation

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

| Version<br>1.0 | Revision Date:<br>31.12.2020 |   | OS Number:<br>0000624448  | Date of last issue: -<br>Date of first issue: 31.12.2020 |  |  |
|----------------|------------------------------|---|---|--|--|--|
| STOT           | DE                           |   | Specific target or  | nan toxicity - reneated evnosure                         |  |  |
| STOT SE        |                              | : | Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure |  |  |  |
| 2000/39/EC     |                              |   | Europe. Commission Directive 2000/39/EC establishing a first  |  |  |  |
| 2000/0         | 70/LO                        | • |   | ccupational exposure limit values                        |  |  |
| 2004/3         | 37/FC                        |   |   | 2004/37/EC on the protection of workers                  |  |  |
| 200 1/10       | ,20                          | • |   | ated to exposure to carcinogens or mutagens              |  |  |
| 2017/1         | 64/EU                        | : | Commission Dire   | ctive (EU) 2017/164 establishing a fourth list           |  |  |
|                |                              |   |   | pational exposure limit values pursuant to               |  |  |
|                |                              |   |   | 98/24/EC, and amending Commission Direc-                 |  |  |
|                |                              |   |   | , 2000/39/EC and 2009/161/EU                             |  |  |
| OEL (TR)       |                              | : | Regulation on Protection of Health & Safety Measures from   |  |  |  |
| _              |                              |   |   | chemical Agents at Work (Turkey)                         |  |  |
|                | mendation of BASF            | : |   |  |  |  |
| TR OE          | :L                           | : | Turkey. Chemical Agents at Work - Annex I: Indicative occ   |  |  |  |
|                |                              |   | pational exposure   |  |  |  |
|                | 9/EC / TWA                   | : | Limit Value - eigh  |  |  |  |
|                | 9/EC / STEL                  | : | : Short term exposure limit   |  |  |  |
|                | 37/EC / TWA                  | : | Long term exposure limit  |  |  |  |
|                | 64/EU / STEL                 | : | Short Term Exposure Limit   |  |  |  |
|                | 64/EU / TWA                  | : | Limit Value - eight hours   |  |  |  |
|                | ΓR) / STEL value             | : |   | sure Limit (STEL):                                       |  |  |
|                | ΓR) / TWA value              | : | Time Weighted Average (TWA):  |  |  |  |
| TR OE          | EL / TWA (8 Hour)            | : |   | ulated in relation to a reference period of              |  |  |
|                |                              |   | eight-hour time-w   |  |  |  |
| TR OE          | EL / STEL 15 min             | : | A limit value abov  | e which exposure should not occur and is                 |  |  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

related to a 15-minute priod, unless otherwise specified

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures; Part I".



# MasterSeal M 790 red PART A

Version Revision Date: SDS Number: Date of last issue: -

1.0 31.12.2020 000000624448 Date of first issue: 31.12.2020

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **SDS Author**

Name: Nazlı ÖZER

Address: Master Builders Solutions Yapı Kimyasalları Sanayi ve Ticaret Ltd. Şti. 34746 Ataşehir -

Istanbul, Turkey

Phone: +90 262 751-6845

Email: <a href="mazli.ozer@mbcc-group.com">nazli.ozer@mbcc-group.com</a> Certificate no: KDU-A-0-0077 Certification Date: 29.07.2020 Certificate Expiry Date: 29.07.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN